



COMPACT CRAWLER EXCAVATORS



**COMPACT CRAWLER
EXCAVATORS**

**THE STRENGTH OF MANY.
THE POWER OF ONE.**

What's in a name? Plenty when that name is Terex. In the business of helping you grow your business, Terex has brought together leading equipment manufacturers from throughout the world under one brand — all focused on delivering technologically advanced and ruggedly reliable solutions for the construction, infrastructure, quarry, recycling, mining, shipping, transportation, refining, utility and maintenance industries. Terex is dedicated to manufacturing innovative equipment proven to enhance efficiencies, increase productivity and boost bottom lines. In fact, *Terex products are purposely designed to maximize your return on investment.*

Terex Construction is proof.

Our safe, cost-effective, easy-to-use and highly productive line of products include loader backhoes, crawler and wheeled excavators, site dumpers, telehandlers, compaction equipment, wheel loaders, articulated and rigid haul trucks, and material handlers. Innovative tools designed to help you get the job done — on time and on budget. Add Terex Financial Services to the mix and you have a full spectrum of unique and competitive financing options to help ensure you get your hands on the right equipment at the right time at the right price.

And that's just the beginning.

Terex backs its products with a world-wide network of distributors who know your business inside and out. Partner with Terex and you'll have access to local and dedicated service and support teams before, during and long after the sale. Add it all up for a return on investment you can take to the bank.

Don't take our word for it — put Terex excavators on the job and you'll see what we mean.



Available in either conventional or zero tail swing designs, our compact excavators allow you to go where no standard excavator can go.





BIG MACHINE PERFORMANCE

SOLID RETURN ON INVESTMENT

Designed for demanding excavating jobs and space-restrictive trenching applications, Terex compact excavators deliver many of the same performance-enhancing features found on our standard-size excavators. Our compact excavator line includes 10 models ranging from 18 hp (13.3 kW) to 94 hp (64 kW) with operating weights from 3,638 lbs. (1,650 kg) to 28,219 lbs (12,800 kg).

Power Matched, Performance Built

From working against sides of buildings to irrigation digging to digging a ditch in a backyard, these mighty wonders go full throttle. That's because the engines and hydraulics on all Terex compact excavators are matched to machine size and type so you have the muscle you need — no more, no less. Add a quiet, smooth-running ride, hydrostatic transmission and fuel efficiency for a machine that can't be beat.



10 compact crawler models available from 3,638 lbs (1650 kg) to 28,219 lbs (12,800 kg)

RUGGEDLY RELIABLE EASILY MAINTAINED



COMPACT CRAWLER EXCAVATORS

Standard Features, Extraordinary Versatility

Built to get the job done, these rugged machines feature productivity-enhancing technology. Our quick coupler is standard on all models making it fast and easy to change attachments. Auxiliary hydraulics are standard and offer three connections while others offer two auxiliary hoses. Because Terex models are already plumbed out to the dipper stick, you gain immediate dual function capability — no switching back and forth.

PROTECTED CYLINDER

Terex encloses the articulating cylinder and locates it on the left side of the machine, reducing the probability of damage during operation. This offset boom allows for safe operating in tight work areas next to buildings and foundations.



TIGHT SITE, NO PROBLEM

Terex compact excavators have the ability to get the job done in tight places with a standard offset boom allowing for close working proximity while offering greater operator visibility and reach.



DESIGNED FOR OPERATOR COMFORT

Operators can't wait to climb inside our compact excavators. That's because our spacious cabs provide foot and leg room that would make any operator feel comfortable.

Comfortable suspension seats and adjustable arm rests come standard.

Low-effort controls are front and center, and easy to reach. Closed-center hydraulics provide excellent control. Our pattern control change lever comes standard and is mounted on the inside of the cab, making change-over quick and easy. Our multi-function hydraulics offer smooth load-sensing functionality.



CONTROL PATTERN FLEXIBILITY

A simple flip of a switch is all it takes for an operator to change from ISO to SAE controls.

COMPACT CRAWLER EXCAVATORS

When it comes to keeping your equipment up and running and maintenance costs down, Terex knows the smallest details make the biggest impact. That's why we mount the boom cylinder on the backside of the boom to protect from impact with loads. We also invert it so the seal is facing down. This prevents dirt build-up and protects it from the elements.

We also design our compact excavators with longer wearing spherical bearing main pin connecting points. Using perforated tin/bronze bushings to absorb grease provides a longer pin life, reduces maintenance costs and increases uptime.

Easily Accessed, Easily Serviced

Ground level access to the engine, drive train and hydraulics ensures quick and easy maintenance. The machine's engine hood tilts from the rear and features an expanded hinge height so you can easily perform your daily service checks safely and easily.



VERSATILE EXCAVATOR ATTACHMENTS




A variety of buckets, quick-mount hitch, thumbs, augers, and hydraulic hammer are available with most models.










COMPACT CRAWLER EXCAVATORS

WIDE RANGE

Ten models ranging from 18 hp (13.3 kW) to 94 hp (64 kW) with operating weights from 3,638 lbs (1,650 kg) to 28,219 lbs (12,800 kg) and a variety of attachments to match your jobsite needs.

			
5 ft	TC16	TC20	TC29
10 ft	Operating Weight 3,638 - 3,792 lbs (1,650 - 1,720 kg)	Operating Weight 4,300 - 4,455 lbs (1,950 - 2,020 kg)	Operating Weight 6,285 - 6,480 lbs (2,850 - 2,940 kg)
15 ft	Horsepower 18 hp (13.3 kW)	Horsepower 18 hp (13.3 kW)	Horsepower 28 hp (20.5 kW)
20 ft	Maximum Dig Depth 7' 9" (2.4 m)	Maximum Dig Depth 8' 2" (2.5 m)	Maximum Dig Depth 9' 7" (2.9 m)

			
5 ft	TC35/TC35E	TC37	TC48
10 ft	Operating Weight 7,720 - 7,980 lbs (3,500 - 3,620 kg)	Operating Weight 8,047 - 8,326 lbs (3,650 - 3,776 kg)	Operating Weight 10,320 - 10,920 lbs (4,680 - 4,950 kg)
15 ft	Horsepower 32.5 hp (23.8 kW)	Horsepower 32.5 hp (23.8 kW)	Horsepower 47 hp (34.6 kW)
20 ft	Maximum Dig Depth 11' 10" (3.6 m)	Maximum Dig Depth 11' 1" (3.38 m)	Maximum Dig Depth 12' 10" (3.9 m)

				
5 ft	TC50	TC60	TC75	TC125
10 ft	Operating Weight 11,067 lbs (5,020 kg)	Operating Weight 12,458 - 13,140 lbs (5,650 - 5,960 kg)	Operating Weight 16,538 - 17,086 lbs (7,500 - 7,750 kg)	Operating Weight 27,558 - 28,219 lbs (12,500 - 12,800 kg)
15 ft	Horsepower 39.4 hp (29 kW)	Horsepower 51.5 hp (37.9 kW)	Horsepower 72 hp (53 kW)	Horsepower 94 hp (64 kW)
20 ft	Maximum Dig Depth 12' 1" (3.7 m)	Maximum Dig Depth 12' 3" (3.8 m)	Maximum Dig Depth 14' 7" (4.44 m)	Maximum Dig Depth 15' 4" (4.67 m)



FROM DIRT TO AIR, TEREX HAS YOU COVERED

Partner with Terex and you'll work with the third largest manufacturer of construction and mining equipment in the world. More than 50 time-tested brands make up the Terex family offering the breadth and depth of products, services and support you need to generate a quick return on investment.



For more information, product demonstration, or details on purchase, lease and rental plans, please contact your local Terex Distributor.

Terex Construction Americas

8800 Rostin Road
Southaven, MS 38671
USA

TEL 662-393-1800
SALES 866-837-3923
PARTS & TECH SUPPORT 888-201-6008
FAX 662-393-1700
EMAIL sales@terexca.com
WEB terexca.com

Effective Date: May 1, 2007. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Terex makes no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade-names of Terex Corporation and/or its subsidiaries in the USA and other countries and all rights are reserved. Terex® is a registered trademark of Terex Corporation in the USA and many other countries. Copyright © 2007 Terex Corporation.